


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A compound of Formula (I)



wherein

R is H or (C₁-C₆)alkyl;

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl]silyl,

(C₃-C₆)alkenyl,

(C₃-C₆)alkynyl,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl, CF₃, and halo,

(C₁-C₃)haloalkyl, or

phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,
(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
NR⁸R⁸,
cyano, and
(C₁-C₆)alkylthio;

R² is H,

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl and halo,

(C₁-C₃)haloalkyl,

~~pyridyl optionally substituted with up to two substituents selected from the~~

~~group consisting of (C₁-C₆)alkoxy, (C₁-C₆)alkylthio, halo, and~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,~~

~~pyrimidyl,~~

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

hydroxy,

NR^8R^8 ,

cyano,

(C₁-C₆)alkylthio,

halo,

CO_2R^8 ,

(C₁-C₃)haloalkoxy,

(C₁-C₄)acyl, and

benzoyl, or

tetrahydronaphthyl, or indanyl, ~~benzodioxolyl, or benzodioxanyl~~, each of which may be optionally substituted with up to two substituents selected from the group consisting of (C₁-C₆)alkoxy, or

(C₁-C₆)alkylthio, halo, and (C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy[[,]];

or

~~when R¹ and R² are (C₁-C₆)alkyl, they may, together with C atoms to which they are attached, form a 5 or 6 membered carbocyclic ring,~~

or

~~R¹ and R² may, together with the C atoms to which they are attached form a 6-membered heterocyclic ring containing a N atom and optionally substituted on N with (C₁-C₃)alkyl;~~

R³ is (C₁-C₆)alkyl,

(C₃-C₆)cycloalkyl,

benzyl optionally substituted on the aryl ring with up to four substituents
selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₃)haloalkyl,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano,

(C₁-C₆)alkylthio, and

SO₂(C₁-C₃)alkyl,

(C₂-C₃)haloalkyl, or

phenyl optionally substituted with up to four substituents selected from the
group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₃)haloalkyl,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkoxy

NR⁸R⁸,

cyano,
(C₁-C₆)alkylthio, and
SO₂(C₁-C₃)alkyl;

R⁴ is (C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₆)alkylthio,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

halo,

NR⁸R⁸,

pyrimidyl,

~~pyridyl,~~

~~imidazolyl,~~ or

phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and
(C₁-C₆)alkylthio;

n = 0, 1, 2, or 3;

X is CO₂R⁸, or CONR⁵R⁶, SO₂NHR⁷, or ~~oxadiazolyl optionally substituted with~~
(C₁-C₆)alkyl;

R⁵ is H,

(C₁-C₆)alkyl,

(C₂-C₆)alkyl substituted with OR⁶,

benzyl optionally substituted on the aryl ring with up to four substituents
selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio,

phenyl optionally substituted with up to four substituents selected from the
group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio,

~~pyridyl optionally substituted with up to two substituents selected from the
group consisting of~~

~~halo,~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,~~


~~(C₁-C₆)alkoxy,~~

~~(C₁-C₃)haloalkoxy,~~

~~NR⁸R⁸;~~

~~cyano, and~~

~~(C₁-C₆)alkylthio,~~



SO₂-phenyl said phenyl optionally substituted with up to four substituents selected from the group consisting of

halo

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio;

R⁶ is H or (C₁-C₆)alkyl;

or

~~R⁵ and R⁶ together with N atom to which they are attached, may form a piperidine, morpholine, thiomorpholine, or piperazine ring said piperazine optionally substituted on N with (C₁-C₃)alkyl;~~

R⁷ is H or methyl;

R⁸ is H,

(C₁-C₆)alkyl,

benzyl optionally substituted on the aryl ring with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₃)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

cyano, and

(C₁-C₆)alkylthio,

or

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,


(C₁-C₃)haloalkoxy,

cyano, and

(C₁-C₆)alkylthio;

and pharmaceutically acceptable salts thereof;

provided that when R and R² are H and X is CO₂H, then R₁ is not H, methyl, or ethyl,
and further provided that the Formula (I) compound is not



2. (Original) The compound of claim 1, wherein

R¹ is phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio;

and

R, R², R³, R⁴, R⁵, R⁶, R⁷, R⁸, X, and n are as defined in claim 1.

3. (Currently Amended) The compound of claim 1, wherein

R^2 is ~~pyridyl optionally substituted with up to two substituents selected from the~~
~~group consisting of (C₁-C₆)alkoxy, (C₁-C₆)alkylthio, halo, and~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy;~~

~~or~~

phenyl optionally substituted with up to four substituents selected from the
group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

hydroxy,

NR⁸R⁸,

cyano,

(C₁-C₆)alkylthio,

halo,

CO₂R⁸,

(C₁-C₃)haloalkoxy,

(C₁-C₄)acyl, and

benzoyl;

and

R, R¹, R³, R⁴, R⁵, R⁶, R⁷, R⁸, X, and n are as defined in claim 1.

4. (Original) The compound of claim 1, wherein

X is CO₂R⁸;

and

R, R¹, R², R³, R⁴, R⁸, and n are as defined in claim 1.

5. (Original) The compound of claim 1, wherein

R¹ is phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio;

R² is H,

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl and halo, or

(C₁-C₃)haloalkyl;

and

R, R³, R⁴, R⁵, R⁶, R⁷, R⁸, X, and n are as defined in claim 1.

6. (Original) The compound of claim 1, wherein

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl)silyl,

(C₃-C₆)alkenyl,

(C₃-C₆)alkynyl,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl, CF₃, and halo, or

(C₁-C₃)haloalkyl;

R² is H,

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl and halo, or

(C₁-C₃)haloalkyl;

and

R, R³, R⁴, R⁵, R⁶, R⁷, R⁸, X, and n are as defined in claim 1.

7. (Currently Amended) The compound of claim 1, wherein

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl]silyl,

(C₃-C₆)alkenyl,

(C₃-C₆)alkynyl,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl, CF₃, and halo, or

(C₁-C₃)haloalkyl;

~~R² is pyridyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₆)alkoxy, (C₁-C₆)alkylthio, halo, and~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy, or~~

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

hydroxy,

NR⁸R⁸,

cyano,
(C₁-C₆)alkylthio,
halo,
CO₂R⁸,
(C₁-C₃)haloalkoxy,
(C₁-C₄)acyl, and
benzoyl;

and

R, R³, R⁴, R⁵, R⁶, R⁷, R⁸, X, and n are as defined in claim 1.

8. (Original) The compound of claim 1, wherein

R¹ is phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,
(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,
(C₁-C₆)alkoxy,
(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
NR⁸R⁸,
cyano, and
(C₁-C₆)alkylthio;

R^2 is H,
halo,
(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,
(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected
from the group consisting of (C₁-C₃)alkyl and halo, or
(C₁-C₃)haloalkyl;

X is CO₂R⁸;

and

R, R³, R⁴, R⁸, and n are as defined in claim 1.

9. (Original) The compound of claim 1, wherein

R^1 is H,
(C₁-C₆)alkyl optionally substituted with one substituent selected from the group
consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and
[tri(C₁-C₄)alkyl]silyl,
(C₃-C₆)alkenyl,
(C₃-C₆)alkynyl,
(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected
from the group consisting of (C₁-C₃)alkyl, CF₃, and halo, or
(C₁-C₃)haloalkyl;

R^2 is H,

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl and halo, or

(C₁-C₃)haloalkyl;

X is CO₂R⁸;

and

R, R³, R⁴, R⁸, and n are as defined in claim 1.

10. (Currently Amended) The compound of claim 1, wherein

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl]silyl,

(C₃-C₆)alkenyl,

(C₃-C₆)alkynyl,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl, CF₃, and halo, or

(C₁-C₃)haloalkyl;

R² is ~~pyridyl optionally substituted with up to two substituents selected from the~~
~~group consisting of (C1-C6)alkoxy, (C1-C6)alkylthio, halo, and~~

~~(C1-C6)alkyl optionally substituted with one (C1-C4)alkoxy, or~~
phenyl optionally substituted with up to four substituents selected from the
group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

hydroxy,

NR⁸R⁸,

cyano,

(C₁-C₆)alkylthio,

halo,

CO₂R⁸,

(C₁-C₃)haloalkoxy,

(C₁-C₄)acyl, and

benzoyl;

X is CO₂R⁸;

and

R, R³, R⁴, R⁸, and n are as defined in claim 1.

11. (Currently Amended) The compound of claim 1, wherein

R is H;

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl]silyl,

(C₃-C₆)cycloalkyl optionally substituted with up to two substituents selected from the group consisting of (C₁-C₃)alkyl, CF₃, and halo,

(C₁-C₃)haloalkyl, or

phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio;

R² is H,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

~~pyridyl optionally substituted with up to two substituents selected from the~~

~~group consisting of (C₁-C₆)alkoxy, (C₁-C₆)alkylthio, halo, and~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy;~~

or

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

hydroxy,

NR⁸R⁸,

cyano,

(C₁-C₆)alkylthio,

halo,

CO₂R⁸,

(C₁-C₃)haloalkoxy,

(C₁-C₄)acyl, and

benzoyl;

R³ is (C₁-C₆)alkyl,

(C₃-C₆)cycloalkyl, or

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₃)haloalkyl,
(C₁-C₆)alkoxy,
(C₁-C₃)haloalkoxy
NR⁸R⁸,
cyano,
(C₁-C₆)alkylthio, and
SO₂(C₁-C₃)alkyl;

R⁴ is (C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,
(C₁-C₆)alkoxy,
halo,
phenyl optionally substituted with up to four substituents selected from the
group consisting of
halo,
(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,
(C₁-C₆)alkoxy,
(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
NR⁸R⁸,
cyano, and
(C₁-C₆)alkylthio;

n = 0, 1, 2, or 3;

X is CO_2R^8 ; and

R^8 is H,

(C₁-C₆)alkyl,

benzyl optionally substituted on the aryl ring with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₃)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

cyano, and

(C₁-C₆)alkylthio, or

phenyl optionally substituted with up to four substituents selected from

the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

cyano, and

(C₁-C₆)alkylthio.

12. (Currently Amended) The compound of claim 1, wherein

R is H;

R¹ is H,

(C₁-C₆)alkyl optionally substituted with one substituent selected from the group consisting of (C₁-C₄)alkoxy, phenyl optionally substituted with halo, and [tri(C₁-C₄)alkyl]silyl, or

phenyl optionally substituted with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio;

R² is H,

halo, or

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy;

R³ is (C₁-C₆)alkyl,

or

phenyl optionally substituted with up to four substituents selected from the group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₃)haloalkyl,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkoxy

NR⁸R⁸,

cyano,

(C₁-C₆)alkylthio, and

SO₂(C₁-C₃)alkyl;

R⁴ is (C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₆)alkylthio,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

halo;

n = 0, 1, 2, or 3;

X is CONR⁵R⁶;

R⁵ is H,

(C₁-C₆)alkyl,

(C₂-C₆)alkyl substituted with OR⁶,

benzyl optionally substituted on the aryl ring with up to four substituents
selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio,

phenyl optionally substituted with up to four substituents selected from the
group consisting of

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

halo,

(C₁-C₆)alkoxy,

(C₁-C₃)haloalkyl,

(C₁-C₃)haloalkoxy,

NR⁸R⁸,

cyano, and

(C₁-C₆)alkylthio,

~~pyridyl optionally substituted with up to two substituents selected from the~~

~~group consisting of~~

~~halo,~~

~~(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,~~


~~(C₁-C₆)alkoxy,~~

~~(C₁-C₃)haloalkoxy,~~

~~NR⁸R⁸;~~

~~cyano, and~~

~~(C₁-C₆)alkylthio,~~



SO₂-phenyl said phenyl optionally substituted with up to four substituents
selected from the group consisting of

halo

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₆)alkoxy,
(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
NR⁸R⁸,
cyano, and
(C₁-C₆)alkylthio;

R⁶ is H or (C₁-C₆)alkyl;

or

~~—— R⁵ and R⁶ together with N atom to which they are attached, may form a piperidine, morpholine, thiomorpholine, or piperazine ring said piperazine optionally substituted on N with (C₁-C₃)alkyl; and~~

R⁸ is H,

(C₁-C₆)alkyl,

benzyl optionally substituted on the aryl ring with up to four substituents selected from the group consisting of

halo,

(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,

(C₁-C₃)alkoxy,

(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
cyano, and
(C₁-C₆)alkylthio,

or

phenyl optionally substituted with up to four substituents selected from
the group consisting of
(C₁-C₆)alkyl optionally substituted with one (C₁-C₄)alkoxy,
halo,
(C₁-C₆)alkoxy,
(C₁-C₃)haloalkyl,
(C₁-C₃)haloalkoxy,
cyano, and
(C₁-C₆)alkylthio.

13. (Currently Amended) The compound of claim 1 selected from the group consisting of

2-[(3-*tert*-butyl-1-methyl-1*H*-pyrazol-5-yl)amino]-5-methoxybenzoic acid;
2-[[3-methyl-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino]benzamide;
2-[[3-(4-fluorophenyl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino]benzoic acid;
2-[[3-*tert*-butyl-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino]-5-methoxybenzoic acid;
2-[[3-*tert*-butyl-1-(2-methoxyphenyl)-1*H*-pyrazol-5-yl]amino]-5-methoxybenzoic
acid;
2-[(1,3-diphenyl-1*H*-pyrazol-5-yl)amino]-5-methoxybenzoic acid;

2-fluoro-6-{{[3-(4-fluorophenyl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-fluoro-6-{{[1-(2-methylphenyl)-3-(4-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-*tert*-butyl-1-(5-fluoro-2-methylphenyl)-1*H*-pyrazol-5-yl]amino}-6-fluorobenzoic acid;
2-({[3-*tert*-butyl-1-[2-(methylthio)phenyl]-1*H*-pyrazol-5-yl]amino)-5-methoxybenzoic acid;
2-{{[3-*tert*-butyl-1-(2-ethoxyphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-*tert*-butyl-1-(2-ethoxyphenyl)-1*H*-pyrazol-5-yl]amino}-5-methoxybenzoic acid;
2-{{[3-(3-methoxyphenyl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
5-methoxy-2-{{[3-(3-methoxyphenyl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-(3-methoxyphenyl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl]amino}-5-methylbenzoic acid;
2-{{[3-*tert*-butyl-1-(2-methoxyphenyl)-4-methyl-1*H*-pyrazol-5-yl]amino}-5-methoxybenzoic acid;
2-[[3-*tert*-butyl-1-phenyl-1*H*-pyrazol-5-yl]amino]-5-methoxybenzoic acid;
2-{{[3-*tert*-butyl-1-(5-fluoro-2-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-*tert*-butyl-1-(2,6-dimethylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-*tert*-butyl-1-(2-methoxy-5-methylphenyl)-1*H*-pyrazol-5-yl]amino}benzoic acid;
2-{{[3-*tert*-butyl-1-(2,3-dimethylphenyl)-1*H*-pyrazol-5-yl]amino}-5-methoxybenzoic acid;
2-{{[3-*tert*-butyl-1-(2-methoxy-6-methylphenyl)-1*H*-pyrazol-5-yl]amino}-5-methoxybenzoic acid;
2-{{[3-*tert*-butyl-1-(2,6-dimethylphenyl)-1*H*-pyrazol-5-yl]amino}-5-methoxybenzoic acid;

2-{{1-(2,6-dimethylphenyl)-3-(1-methylcyclopropyl)-1*H*-pyrazol-5-yl}amino} benzoic acid;

5) 2-{{1-(2,6-dimethylphenyl)-3-(3,3,3-trifluoropropyl)-1*H*-pyrazol-5-yl}amino}-5-methoxybenzoic acid;

5-methoxy-2-{{3-methyl-1-(2-methylphenyl)-4-phenyl-1*H*-pyrazol-5-yl}amino} benzoic acid;

~~5-methoxy-2-{{4-(6-methoxypyridin-3-yl)-3-methyl-1-(2-methylphenyl)-1*H*-pyrazol-5-yl}amino} benzoic acid;~~

5-methoxy-2-{{1-(2-methylphenyl)-4-pyridin-4-yl-3-(trifluoromethyl)-1*H*-pyrazol-5-yl}amino} benzoic acid;

5-methoxy-2-{{4-(4-methoxyphenyl)-1-(2-methylphenyl)-3-(trifluoromethyl)-1*H*-pyrazol-5-yl}amino} benzoic acid;

~~2-{{3-ethyl-4-(6-methoxypyridin-3-yl)-1-(2-methylphenyl)-1*H*-pyrazol-5-yl}amino}-5-methoxybenzoic acid;~~

2-{{4-(2-fluorophenyl)-3-methyl-1-(2-methylphenyl)-1*H*-pyrazol-5-yl}amino}-5-methoxybenzoic acid;

5-methoxy-2-{{1-(2-methoxyphenyl)-3-methyl-4-phenyl-1*H*-pyrazol-5-yl}amino} benzoic acid; and

2-{{4-(2,4-dimethoxyphenyl)-3-methyl-1-(2-methylphenyl)-1*H*-pyrazol-5-yl}amino}-5-methoxybenzoic acid.

14. (Original) A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 1, or a pharmaceutically acceptable salt, in combination with a pharmaceutically acceptable carrier.
15. (Original) A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 1, or a pharmaceutically acceptable salt thereof, in combination with a pharmaceutically acceptable carrier and one or more pharmaceutical agents.

16. (Original) The pharmaceutical composition of claim 15, wherein said pharmaceutical agent is selected from the group consisting of PPAR agonists, sulfonylurea drugs, non-sulfonylurea secretagogues, α -glucosidase inhibitors, insulin sensitizers, insulin secretagogues, hepatic glucose output lowering compounds, insulin, anti-obesity agents, HMG CoA reductase inhibitors, nicotinic acid, bile acid sequestrants, fibric acid derivatives, and anti-hypertensive agents.
17. (Original) A composition comprising an effective amount of a compound of claim 1, or a salt thereof, in combination with an inert carrier.
18. (Withdrawn) A method of treating diabetes comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
19. (Withdrawn) The method of claim 18, wherein said diabetes is selected from the group consisting of type 1 diabetes, type 2 diabetes, maturity-onset diabetes of the young, latent autoimmune diabetes adult, and gestational diabetes.
20. (Withdrawn) A method of treating Syndrome X comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
21. (Withdrawn) A method of treating diabetes-related disorders comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
22. (Withdrawn) The method of claim 21, wherein said diabetes-related disorder is selected from the group consisting of hyperglycemia, hyperinsulinemia, impaired glucose tolerance, impaired fasting glucose, dyslipidemia, hypertriglyceridemia, and insulin

resistance.

23. (Withdrawn) A method of treating obesity comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
24. (Withdrawn) A method of treating cardiovascular diseases comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
25. (Withdrawn) A method of treating diabetes comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1 in combination with one or more pharmaceutical agents.
26. (Withdrawn) The method of claim 25, wherein said pharmaceutical agent is selected from the group consisting of PPAR agonists, sulfonylurea drugs, non-sulfonylurea secretagogues, α -glucosidase inhibitors, insulin sensitizers, insulin secretagogues, hepatic glucose output lowering compounds, insulin, and anti-obesity agents.
27. (Withdrawn) The method of claim 25, wherein said diabetes is selected from the group consisting of type 1 diabetes, type 2 diabetes, maturity-onset diabetes of the young, latent autoimmune diabetes adult, and gestational diabetes.
28. (Withdrawn) A method of treating Syndrome X comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1 in combination with one or more pharmaceutical agents.
29. (Withdrawn) The method of claim 28, wherein said pharmaceutical agent is selected from the group consisting of PPAR agonists, sulfonylurea drugs, non-sulfonylurea

secretagogues, α -glucosidase inhibitors, insulin sensitizers, insulin secretagogues, hepatic glucose output lowering compounds, insulin, and anti-obesity agents.

30. (Withdrawn) A method of treating diabetes-related disorders comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1 in combination with one or more pharmaceutical agents.
31. (Withdrawn) The method of claim 30, wherein said diabetes-related disorder is selected from the group consisting of hyperglycemia, hyperinsulinemia, impaired glucose tolerance, impaired fasting glucose, dyslipidemia, hypertriglyceridemia, and insulin resistance.
32. (Withdrawn) The method of claim 30, wherein said pharmaceutical agent is selected from the group consisting of PPAR agonists, sulfonylurea drugs, non-sulfonylurea secretagogues, α -glucosidase inhibitors, insulin sensitizers, insulin secretagogues, hepatic glucose output lowering compounds, insulin, and anti-obesity agents.
33. (Withdrawn) A method of treating diabetes, Syndrome X, or diabetes-related disorders comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1 in combination with one or more agents selected from the group consisting of HMG CoA reductase inhibitors, nicotinic acid, bile acid sequestrants, fibric acid derivatives, and anti-hypertensive agents.
34. (Withdrawn) The method of claim 33, wherein said diabetes-related disorder is selected from the group consisting of hyperglycemia, hyperinsulinemia, impaired glucose tolerance, impaired fasting glucose, dyslipidemia, hypertriglyceridemia, and insulin resistance.
35. (Withdrawn) The method of any one of claims 25 to 34, wherein the compound of claim 1 and one or more pharmaceutical agents are administered as a single pharmaceutical dosage

formulation.

36. (Withdrawn) A method of treating or preventing secondary causes of diabetes comprising the step of administering to a subject in need thereof a therapeutically effective amount of a compound of claim 1.
37. (Withdrawn) The method of claim 36, wherein said secondary cause is selected from the group consisting of glucocorticoid excess, growth hormone excess, pheochromocytoma, and drug-induced diabetes.
38. (Withdrawn) A method of treating or preventing secondary causes of diabetes comprising the step of administering a subject in need thereof a therapeutically effective amount of a compound of claim 1 in combination with one or more pharmaceutical agents.
39. (Withdrawn) The method of claim 38, wherein said pharmaceutical agent is selected from the group consisting of PPAR agonists, sulfonylurea drugs, non-sulfonylurea secretagogues, α -glucosidase inhibitors, insulin sensitizers, insulin secretagogues, hepatic glucose output lowering compounds, insulin, and anti-obesity agents.
40. (Withdrawn) A method of stimulating insulin secretion in a subject in need thereof by administering to said subject a compound of claim 1.

Claims 41 - 48. Cancelled without prejudice.